



PRODUCT NAME: UPS 19060 SG STICK GRADE METAL

MANUFACTURER: UNIQUE POLYMER SYSTEMS LTD, UNIT 1 BANKSIDE INDUSTRIAL

ESTATE, LITTLE MARCLE ROAD, LEDBURY, HEREFORSHIRE, HR8

2DR, UNITED KINGDOM

TELEPHONE NUMBER: +44 (0) 1531 636300

EMAIL: INFO@UNIQUEPOLYMERSYSTEMS.COM

EMERGENCY TELEPHONE NUMBER: +44 (0) 1531 636300

THIS PRODUCT IS A KIT AND SUPPLIED AS A MULTI PART PRODUCT WHICH CONSISTS OF A BASE COMPONENT AND ACTIVATOR COMPONENT. THIS DOCUMENT CONTAINS THE MSDS FOR BOTH BASE AND ACTIVATOR COMPONENTS.

DISCLAIMER: The information supplied in the MSDS is correct at the time of writing and date of issue. No warranties, expressed or implied, including, but not limited to, any implied warranty of merchantability or fitness for particular purpose or course of performance or usage of trade. The user of the material is responsible for ensuring the suitability of this product for application.

Date of issue: 14th January 2015

Document Number 1037/101/version 3:



SECTION 1: Identification of Substance/ Preparation and Company

1.1 Product identifier

UPS 19060 SG STICK GRADE METAL

1.2 Relevant identified uses of the substance or mixture and uses advised against

Epoxy Resin & Polymercaptan Curing Agent

1.3 Details of the supplier of the safety data sheet

Unique Polymer Systems LTD, Unit 1 Banksdie Industrial Estate, Ledbury, Herefordshire, HR8 2DR

Tel: +44 (0) 1531 636300

Email: info@uniquepolymersystems.com

1.4 Emergency telephone number

+44 (0) 1531 636300 (9am to 5pm)

SECTION 2: Hazards Identification

2.1 Classification of the substance or mixture

Classification in accordance with the Dangerous Preparations Directive 1999/45/EC

Skin Irritation Category 2

H315 Causes skin irritation

Serious Eye Irritation Category 2

H319 Causes Serious Eye Irritation

Skin Sensitizer Category 1

H317 May Cause an allergic Skin Reaction

Chronic Hazards to the Aquatic Environment Category 3

H412 Harmful to Aquatic life with long lasting effects

Sensitizing

R43 May cause sensitisation by skin contact

Xi – irritant

R36/38 irritating to eyes and skin

Dangerous to the environment

R52/53 Harmful to aquatic organisms, may cause long term adverse effects in the aquatic environment

Xn; R20/21/22 Harmful by inhalation, in contact with skin and if swallowed

C; R34 Causes burns

R43 May cause sensitisation by skin contact
Muta. 3; R68 Possible risk of irreversible effects
Repr. 2; R62 Possible risk of impaired fertility

R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic

environment



2.2 Label elements

Labelling in accordance with the Classification Labelling and Packaging Regulation EC (no) 1272/2008 Pictograms:



Signal Word: WARNING

Hazard statements: H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation

H412 Harmful to aquatic life with long lasting effects

Precautionary statements:

P101: if medical advice is needed have product container or label at hand

P102: Keep out of reach of children

P501: Dispose of waste and residues in accordance with local authority requirements

Precautionary statements:

PREVENTION P273: Avoid release to the environment

P280 Wear protective gloves

Precautionary statements:

RESPONSE P302+P352 IF ON SKIN: Wash with plenty soap and water

P333+P313: If skin irritation or rash occurs: Get medical advice/ attention

P337+ P313: If eye irritation persists: Get medical advice/ attention

2.3 Other hazards

If released into watercourses in sufficient quantities may be harmful to aquatic life. None of the components are considered to be Persistent, Bioaccumulative and Toxic (PBT) or very Persistent, very Bioaccumulative (vPvB).

SECTION 3: Composition/Information on Ingredients

3.1 Substances

Not applicable, product is a mixture.

3.2 Mixtures

Contains the following hazardous components above thresholds of concern:

Hazardous Components	Cas Number	%	Classification according to	Classification according to
			Regulation (EC) No 1272/2008	Directive 67/548/EEC
Bisphenol A	80-05-7	<10%	Skin Sens. 1 H317, Eye Dam. 1	Repr. Cat. 3; R62
			H318, STOT SE 3 H335, Repr. 2	Xi; R37-41, R43
			H361f, Aquatic Chronic 2 H411	R52

See section 16 for full description of R phrases and H statements.



SECTION 4: First Aid Measures

4.1 Description of first aid measures

Summon immediate medical assistance after contact with skin, eyes, inhalation or ingestion

Eye: Flush eyes with plenty of running water for 15 minutes, whilst gently holding the

eyelids open.

Skin: Remove product and contaminated clothing and wash area with water.

Ingestion: Drink plenty of water, DO NOT INDUCE VOMITING. Seek medical attention

immediately.

Inhalation: Remove patient to fresh air. Seek medical advice.

4.2 Most important symptoms and effects, both acute and delayed

SKIN: Redness, Inflammation

SKIN: Rash, Urticaria

EYE: Irritation, Conjunctivitis

4.3 Indication of any immediate medical attention and special treatments needed

Symptomatic treatment as required

SECTION 5: Fire Fighting Measures

5.1 Extinguishing media

Dry chemical, CO2 or Alcohol foam

5.2 Special hazards arising from the substance or mixture

In the event of fire carbon monoxide, carbon dioxide and nitrogen oxides can be released

5.3 Advice for fire fighters

Wear Self-contained breathing apparatus, rubber boots, gloves and body suit

SECTION 6: Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid skin and eye contact

6.2 Environmental precautions

Prevent entry into sewers and watercourses. If product enters sewers or watercourses, inform the appropriate environmental authorities.

6.3 Methods and materials for containment and clearing up

Scrape up and transfer into a suitable container. Wash area with water.

6.4 References to other sections

Refer to section 5, 8 and 13 for protective Measures and Disposal.



SECTION 7: Handling and Storage

7.1 Precautions for safe handling

Avoid contact with skin, eyes and clothing. Handle in well ventilated area. Wash hands after contact.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a cool, well ventilated area.

7.3 Specific end uses(s)

No industrial or sector specific guidance available.

SECTION 8: Exposure Controls/ Personal Protection

8.1 Control parameters

Substance Name	8 hour exposure limit	15 min exposure limit	Notes, Source
Talc, Respirable dust	-	_	EH40 WEL
14807-96-6			

8.2 Exposure controls

Engineering controls Adequate ventilation should be provided so that exposure limits are not exceeded.

Respiratory: Avoid Breathing Vapours, Mists or Sprays; Select and use respiratory protection.

Suggested filter type AP2.

Hand Protection Wear suitable chemical resistant gloves recommended. Nitrile or neoprene gloves may be

suitable, but glove manufacturers' specifications should always be checked first. Change gloves in accordance with manufacturer recommendations. If gloves are damaged during

use, remove immediately and wash hands before replacing with new gloves.

Skin Protection: Avoid Skin Contact; use disposable coveralls

Eye Protection: Avoid Eye Contact; use safety goggles meeting the requirements of BS EN166 3, when

handling this product

Environmental Exposure controls Take suitable measures to prevent entry into drains, sewers and watercourses.

SECTION 9: Physical/ Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: **Paste Odour:** Mild Odour threshold: No data PH: No data **Melting Point:** >180C **Boiling Point/ Range:** >35°C Flash Point; >100°C **Evaporation Rate:** No data Flammability: Not applicable Upper/lower flammability limits: No data





Vapour Pressure: No data
Vapour density: No data

Relative density: 1.7g/cm3 at 20C
Solubility in water: Insoluble in water

Solubility in other solvents: No data
Partition Coefficient: No data
Autoignition temperature: No data
Decomposition temperature: No data
Viscosity: No data

Explosive properties: Not classified as explosive **Oxidising properties:** Not classified as oxidising

9.2 Other information

None.

SECTION 10: Stability And Reactivity

10.1 Reactivity

Reaction with strong acids Reacts with strong oxidants

10.2 Chemical stability

Stable

10.3 Possibility of hazardous reactions

Hazardous Polymerisation is not likely to occur.

10.4 Conditions to avoid

None if used for intended purpose

10.5 Incompatible materials

See section reactivity

10.6 Hazardous decomposition products

None known



SECTION 11: Toxicological Information

11.1 Information on toxicological effects

This product has not been tested. Judgements on the expected toxicity of this product have been made based upon consideration of its major components.

(a) acute toxicity	LD50 >200mg/kg ORAL Rat
(b) skin corrosion/irritation	LD50 23.000 mg/kg DERMAL Rabbit
(c) serious eye damage/irritation	Not irritating. Rabbit. OECD Guidline 405 (Acute eye irritation/ corrosion)
(d) respiratory/skin sensitisation	Sensitising. Mouse local lymphnode assay (LLNA) OECD Guideline 472 (Genetic toxicology: Escherichia Coli Reverse Mutation Assay)
(e) germ cell mutagenicity	Negative. Bacterial reversemutation assay (e.g Ames test). OECD Guideline 472) Genetic Toxicology Escherichia Coli Reverse Mutation Assay)
(f) carcinogenicity	Contains no substances identified as carcinogens.

SECTION 12: Ecological Information

This product has not been tested. Judgements on the expected toxicity of this product have been made based upon consideration of its major components.

12.1 Toxicity

This product contains components which are considered to be harmful to aquatic organisms and may cause long-term adverse effects in the aquatic environment. Once cured the toxicity of the product is expected to decrease.

12.2 Persistence and degradability

This product is not expected to be readily biodegradable.

12.3 Bioaccumulative potential

This product is expected to have a low bioaccumulation potential.

12.4 Mobility in soil

Cured product is expected to be immobile.

12.5 Results of PBT and vPvB assessment

None of the components are known to be PBT or vPvB.

12.6 Other adverse effects

None known.

SECTION 13: Disposal Considerations

13.1 Waste treatment methods

In uncured state, dispose as chemical waste in accordance with local regulations. Waste from this product may present long term environmental hazards. Thus landfill sites must be considered less acceptable than incineration. In cured state when mixed correctly with the base component, dispose as solid waste Empty containers should be disposed of as chemical waste.



SECTION 14: Transport Information

General: Transport and labelling requirements will alter depending on the size of the packaging. Please refer

to local transport regulations.

	ADR	IMDG	ICAO
14.1 UN Number	Not Hazardous	Not Hazardous	Not Hazardous
14.2 UN Proper shipping	Not Hazardous	Not Hazardous	Not Hazardous
name			
14.3 Transport hazard	Not Hazardous	Not Hazardous	Not Hazardous
class(es)			
14.4 Packing group	Not Hazardous	Not Hazardous	Not Hazardous
14.5 Environmental	Not Hazardous	Not Hazardous	Not Hazardous
hazards			
14.6 Special precautions	Not Hazardous	Not Hazardous	Not Hazardous
for user			
14.7 Transport in bulk	Not applicable	Not applicable	Not applicable
according to Annex II of			
MARPOL 73/78 and the			
IBC Code			

SECTION 15: Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

All components are listed as existing substances in Europe

All components are listed, or are exempt from listing on the TCSA Inventory

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

SECTION 16: Other Information

Revision information:

Reformatted in accordance with Regulation 453/2010 and Regulation 1272/2008.

List of Abbreviations used in this SDS:

CAS Chemical Abstracts Service

CLP Classification, Labelling and Packaging Regulation (EC) no 1272/2008

DSD Dangerous Substances Directive 67/548/EEC

DPD Dangerous Preparations Directive 1999/45/EC

EC European Community/Commission

PBT Persistent, Bioaccumulative and Toxic

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) no 1907/2006

vPvB very Persistent, very Bioaccumulative





References:

ECHA Classification and Labelling inventory ECHA database of disseminated registration dossiers Supplier's Safety Data Sheets

Method used for classification of mixtures:

Ingredient based approaches

R Phrases and H Statements used in Section 3

R36/38	Irritating to eyes and skir
1130/30	initiating to eyes and sk

R43 May cause sensitisation by skin contact

R52 Harmful to aquatic organisms

R52/53 Harmful to aquatic organisms, may cause long term adverse effects in the aquatic environment,

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H319 Causes serious eye damage

H411 Toxic to aquatic life with long lasting effects
 H412 Harmful to aquatic life with long lasting effects

Training requirements for workers

No special training requirements.